




The Good Lab

2501 W Colorado Ave Suite 204
 Colorado Springs, CO 80904
 (720) 245-8323
 Info@GoodLabColorado.com
 www.GoodLabColorado.com

Potency Analysis

Customer ID	572	Cust Name	KHUS + KHUS modern herbal formula		
Sample ID	1902937	Date Received	Bleu Body Wax 50mgCBD		
Sample Type	Topical	Date Received	12/18/2019	Date Completed	12/20/2019

Cannabinoid Profile %	
CBDV	0.00
CBDA	0.00
CBGA	0.00
CBG	0.00
THCV	0.00
CBD	0.08
CBN	0.00
Δ9THC	0.00
CBC	0.00
THCA	0.00
TOTAL	0.08



Total THC % (Δ9-THC + THC-A + THC-V)	0.00
Total CBD % (CBD + CBD-A + CBD-V)	0.08
Total Cannabinoid %	0.08
Potential Active Δ9-THC*	0.00

Total THC = Δ9-THC + THC-A + THC-V
Total CBD = CBD + CBD-A + CBD-V
Total Cannabinoids represents the sum of the cannabinoids detected in the sample.
***Potential Active Δ9-THC** = Δ9-THC + (THC-A x .877)
 THC-A is converted to active Δ9-THC through decarboxylation and is calculated using the scientific formula (THC-A x .877 = Δ9-THC).
 THC-A is converted to active Δ9-THC through decarboxylation and is calculated using the formula (THC-A x .877 = Δ9-THC).

Potency test results are reported in percentage by dry weight using High Performance Liquid Chromatography (HPLC). Detectable amounts below .06% are shown as TR (trace) or <LOQ. Our standard detection limit is .02%. Results below .02% are considered unreliable and are reported as zero (0.00) or Not Detected (ND). Our deviation is within the industry standard for HPLC.

FINAL APPROVAL	
Analysis: Gregory P. Duran, Lab Owner	Quality Control: M. Teri Robnett, Lab Manager

Thank you for choosing **The Good Lab** for your analytical needs. This report outlines the results of your product analysis. If you have any further questions regarding your product, feel free to contact us for a consultation at (720) 245-8323 or info@goodlabcolorado.com.

This report and all information herein shall not be changed in any way or reproduced, except in its entirety, without the expressed consent of The Good Lab. This information is provided as a service and makes no claims of efficacy, safety or compliance of this product. Results are applicable only for the sample tested and for the specific test conducted. Due to many factors outside The Good Lab's control, results may vary; therefore, we adhere to the cannabis analytical laboratory standard of error of +/- 5%. Cannabinoid content variations may be due to natural variations in the plant and/or inaccurate sampling practices. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical symptoms or conditions. The statements and results herein have not been approved or endorsed by the FDA. Results are applicable only for the sample supplied to The Good Lab.